

THE COMPLETE RANGE OF DIAMOND TOOLS AND FLOOR GRINDING MACHINES

NEW Diamond floor pad system from **APG**Extreme - **Elica** pads



ELICA DIAMOND PAD

The ultimate solution for Concrete, Terrazzo and Natural Stone floors

Size

Elica is the new system introduced by APGExtreme for restoration and quick polishing of natural stone, terrazzo and trowelled concrete floors. Also very useful for concrete overlay systems such as Mapei Ultratop or Pandomo flooring.

Use

	Size	030
Elica 000 (60 Grit)	200mm (8") 240mm (10") 430mm (17")	Very aggressive grit. Great for removing deep marks from power trowel machines or big scratches on natural stone.
Elica 00 (120 Grit)	200mm (8") 240mm (10") 430mm (17")	Great for removing deep marks from power trowel machines or big scratches on natural stone.
Elica 0 (220 Grit)	200mm (8") 240mm (10") 430mm (17")	Great for removing light marks from power trowel machines or light scratches on natural stone. It leaves the concrete surface ideal condition for densification or Beton Hardener.
Elica 1 (400 Grit)	200mm (8") 240mm (10") 430mm (17")	To be used after Elica 0. It removes the excess of densification or Beton Hardener and leaves a matt finish. Also remove minus spot or light scratches on natural stone.
Elica 2 (800 Grit)	200mm (8") 240mm (10") 430mm (17")	To be used after Elica 1. It leaves honed finish.
Elica 3 (1500 Grit)	200mm (8") 240mm (10") 430mm (17")	To be used after Elica 2. It leaves semi gloss finish.
Elica 4 (3000 Grit)	200mm (8") 240mm (10") 430mm (17")	To be used after Elica 3. It leaves gloss finish.
Elica 5 (5000 Grit)	200mm (8") 240mm (10") 430mm (17")	To be used after Elica 4. It leaves gloss finish.

ELICA PADS



BENEFITS INCLUDING...



No orange peeling: In spite of flexible pad support the pad avoids the orange peel effect, even on softer stones



Faster polishing: Less passes with the machine required in comparison to traditional diamond floor restoration pads



Higher shine and gloss levels at each grit in comparison to traditional floor restoration pads



Widest range of grits available from 60 grit to 10,000 grit




Allow for flexibility to contour according to the floor undulations or lippages



Can be used wet or dry













DIAMOND TOOLING & MACHINERY